

FOOD ESTABLISHMENT INSPECTION REPORT

CITY OF TITUSVILLE DEPARTMENT OF HEALTH	GREASE TRAP INSTALLED Yes No	Date <u>11/6/19</u>
Establishment Missy's Arcade	Address/City/State/Zip Code 116 Diamond St	Phone 814-827-8110

TEMPERATURE OBSERVATIONS

Item/Location	Temp	Item/Location	Temp	Item/Location	Temp
Stovetop	350	Refrigerator			
Fry	220	Freezer			
Water tap	350	Sink water			
FEC	Yes	"Dec 15 2019"			

OBSERVATIONS AND CORRECTIVE ACTIONS

Item Number	Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.
4	One open pack of cigarettes on shelf above food prep table. (cos) Removed
19	Internal product temperature of gravies at potstove in hot holdy unit ranged from 114°-119° F. (cos) Reheat on grill to 165 to be held at or above 135° F.
36	Patrons were observed passing through the kitchen via the rear door.
37	First Aid supplies stored on ledge above food prep table.
46	No sanitizer test strips to monitor sanitizer level.
53	Dust or grease build-up on Louvers of exhaust hood.

Person in Charge (Signature) _____	Date: _____
Inspector (Signature) <u>Kelly McDonald</u>	Date: <u>11/6/19</u>